TDA Progress Report 42-114 August 15, 1993

GOPEX at the Starfire Optical Range

R. Q. Fugate

Starfire Optical Range, Phillips Laboratory, Kirtland Air Force Base, New Mexico

The Starfire Optical Range successfully conducted laser uplink experiments to the Galileo spacecraft during the early morning hours of December 9, 10, 11, and 12, 1992, when the spacecraft was at ranges between 700,000 and 3 million km from Earth. Analysts at JPL have reported as many as 79 pulse detections by the spacecraft. The best weather conditions occurred on the second night when 37 pulses were detected with as many as five on one frame. Signal levels at the spacecraft generally agree with predictions.

I. Introduction

This article summarizes the experiment requirements, design, operations, and results obtained in the Galileo Optical Experiment (GOPEX)[1], conducted by the U.S. Air Force Phillips Laboratory at the Starfire Optical Range (SOR) near Albuquerque, New Mexico. SOR was chosen by JPL, the sponsoring agency, as a second site to complement their operations at Table Mountain Facility (TMF), in Wrightwood, near Los Angeles, California, and to provide geographic diversity, increasing the probability of success in case of bad weather.

The primary objective of GOPEX was to demonstrate that a narrow laser beam pointed at the Galileo spacecraft as it receded from Earth could be detected by the on-board Solid-State Imaging (SSI) camera. This objective was indeed achieved at ranges of approximately 700,000 to six million km from Earth. SOR successfully illuminated the spacecraft on the first four nights of the test, but unfortunately bad weather at the site halted the experiment on

the last three nights. Site diversity proved to be advantageous in the experiment, since TMF was weathered out on the fourth night. A secondary objective was to measure the level and fluctuation in the laser irradiance at the spacecraft and compare the results with theoretical predictions. In general, this objective was also met with a high degree of success.

II. Experiment Requirements

The TMF and SOR sites were each required to transmit bursts of laser pulses on a preset schedule. Each burst lasted approximately three seconds and was computed to start so that pulses arrived at the spacecraft centered about the camera's shutter opening. Individual laser pulses were synchronized within one millisecond of WWV time. Spacecraft-camera shutter-opening times varied from 133–800 msec on a preprogrammed schedule that operated from the internal clock, which was also synchronized with WWV time. The camera was programmed

to scan along a path parallel to the Earth's terminator to spatially separate individual laser pulses on the focal plane. TMF and SOR never operated at the same laser pulse rate, making it possible to uniquely determine each site by measuring the pixel spacing between laser pulse detections.

Uplink operations occurred just before dawn on December 9, 10, 11, 12, 14, 15, and 16, 1992. The uplink times put the SOR very close to the terminator. Table 1 lists for each experiment day the start and end times, the number of transmissions, and the time between transmissions. At a pulse rate of 10 pulses per second, 4710 pulses in total were scheduled to be transmitted toward the Galileo spacecraft from SOR.

The GOPEX Task Manager required that certain diagnostic information be recorded during the uplink transmissions. This information included the energy and pulse width of every laser pulse; the time, to the nearest millisecond, of every laser pulse transmitted; the telescope coordinates during every pulse transmitted; the position of the steering mirror (explained below); and the coherence diameter (Fried's parameter r_0) of the atmosphere. The laser beam divergence at SOR was required to be 80 μ rad full-angle during the first four nights and 40 μ rad during the last three nights. SOR was required to develop an experimental technique for setting the full-angle beam divergence to better than ± 10 percent.

Navigational data for the spacecraft were given to SOR by JPL in terms of J2000 geocentric state vectors (position, velocity, and acceleration) and mean-of-date pointing predictions for SOR. The state vector data were converted to mean-of-date local mount coordinates by algorithms developed at SOR, and results were compared with JPL pointing predictions. In general, agreement was better than 2 µrad. Consequently, the SOR algorithms were used to point the telescope since they continuously updated the mount pointing. The mount model was validated and occasionally updated by centering the image of a nearby guide star in the field of a CCD camera between propagations. SOR was required to develop a technique to boresight the laser to the CCD guide-star camera to within 5 μ rad. SOR was also required to demonstrate these capabilities during precursor tests using high-altitude Earthorbiting artificial satellites during a dry run.

III. Description of Experiment Hardware

A. General Layout

Figure 1 shows the overall arrangement of the experimental setup at SOR. The laser-transmitting aperture is

a 1.5-m (60-in.) Cassegrain telescope with a coudé path, mounted on elevation-over-azimuth gimbals set on an 8-m-tall hollow pier. The laser and tracking sensors are located in the coudé room on the ground floor of the facility. Three fiber-optic source simulators, located in the pier, are used to set the two values of the laser beam divergence and to represent a star at infinity. The source simulators can be moved into and out of the optical beam path to an angular accuracy of approximately 0.5 μ rad, as measured in the output space of the telescope.

B. Telescope and Optics

The 1.5-m telescope is a classical Cassegrain with a parabolic primary mirror and a hyperbolic secondary mirror. The primary mirror has a focal length of 2.2882 m. It is coated with aluminum and a protective silicon monoxide overcoat. The secondary mirror has a focal length of -0.1486 m and a conic constant of -1.028072. The output of the telescope is an f/217 beam, approximately 10 cm in diameter (an angular magnification of ~ 15). The secondary mirror and all coudé mirrors are coated with Denton Vacuum enhanced silver FSS-99 coating.

Light from the telescope (or a laser beam projected by the telescope) is relayed through a coudé path in the center of the pier to the optics room, which is located on the first floor of the facility. Since the telescope is normally used with adaptive optics, the relay optics reimage the primary mirror of the telescope onto a deformable mirror located on the optics table in the coudé room. No adaptive optics were used in this experiment and the deformable mirror was kept in a "system-flat" mode which removed systematic optical aberrations (approximately 1/10 wave) in the system. Figure 2 shows the coudé path optics and M8, the first element in the imaging relay, a spherical mirror having a focal length of 6.21 m used at a 3.2-deg angle of incidence. This figure also shows the image plane for objects at infinity and the locations of the movable source simulators. Two of the simulators were used to set the beam divergence of the laser to either 80 or 40 μ rad, as described later. The simulator representing a source at infinity is at a location along the coudé path that produces the minimum wavefront curvature at the output of the wavefront sensor, as compared with a reference wavefront source located on the optics table. By definition, this sets the location of the infinity source simulator. During telescope operations, the secondary mirror position of the telescope is adjusted (while observing a star) to minimize wavefront curvature as reported by the wavefront sensor.

Figure 3 is a schematic diagram showing the layout of components on the optics table in the coudé room. The

diverging beam from the pier is recollimated by an 8.45-m focal length off-axis parabolic mirror, OAP#1. The beam then reflects from a fast-steering mirror onto the deformable mirror (which is preset with a static figure to remove small residual aberrations in the system). An 11.2-cm diameter image of the telescope's primary mirror is formed on the deformable mirror. Another off-axis paraboloid, OAP#2, and a lens reimage the deformable mirror on an array of lenslets in the Shack-Hartmann sensor. This sensor is used to set the 1.5-m telescope focus by observing a bright star just prior to operations.

The pulsed laser beam is injected into the coudé path by means of a thin-film plate polarizer located between OAP#2 and the recollimating lens. The total optical transmission from the output of the laser to the atmosphere is estimated to be 43 ± 3 percent. Just prior to laser propagation, the telescope is pointed to a nearby guide star. Light from the guide star passes through the laser-aperture sharing element and is imaged onto a low-noise, high-resolution CCD camera to verify telescope pointing. This camera is the primary sensor for laser boresighting and telescope pointing.

The reference source for the wavefront sensor is placed at the focus of OAP#2, since this point is optically conjugate to infinity. The laser-aperture sharing element is located in the converging beam ahead of the infinity focus. Since the thin-film plate polarizer is used in a converging beam, a glass plate was placed behind it to compensate for the astigmatism in images of the guide star at the CCD camera and during telescope defocus measurements made with the wavefront sensor.

The fast-steering mirror was used to offset the laser pointing direction in a predetermined pattern to increase the probability of detection in the event that the navigation data were in error. The mirror was repositioned between laser pulses to generate either a hexagonal or square pattern, as shown in Fig. 4. These scan patterns were used only on the first night of operations. The scan patterns put the nominal position of the spacecraft in the edge of the beam.

C. Optical Alignment

The basic optical alignment requirements for GOPEX were to (1) establish the optical axis of the system, (2) set the full-angle laser beam divergence to either 80 or 40 μ rad, and (3) accurately boresight the laser to the optical axis of the system.

The optical axis of the system was defined in tilt by the CCD guide-star camera and in translation by the cen-

ter of the entrance pupil of the telescope. The required laser beam divergence was generated by focusing the 1.5m-diameter beam in the atmosphere at ranges of 18.75 and 37.5 km, respectively. These ranges can be simulated at the appropriate conjugate points in the path of the relayimaging optics in the pier. Based on the optical design of the relay optics, these points are 64.14 cm and 32.703 cm below the location of the infinity focus where a fiber-optic star simulator is located on a stepper motor-driven stage. The laser beam will come to focus at these points in the coudé path when the divergence is properly adjusted. Furthermore, a source accurately positioned at these points is a fiducial for boresighting the laser to objects at infinity imaged on the optical axis of the telescope. Two 50- μ mdiameter optical fibers were placed on precision slide stages at these points. The arrangement of the source simulators is shown in Fig. 5. Light transmitted by the fiber was imaged by the CCD guide-star camera and allowed positioning of the stages to approximately 0.5 μ rad in the output space of the telescope. The vertical position of the fiber was measured mechanically with an uncertainty of ± 5 mm.

Beam divergence was set by using a knife-edge test on the focused beam and observing the pattern in the plane of the fiber. This technique produces no more than ± 0.5 wave of focus error. The telescope focus error is less than ± 0.25 wave, including higher order aberrations in the optical system between the star simulator and the telescope exit. Assuming worst-case additive errors, the divergence error is $\pm 2.8 \,\mu \text{rad}$ or 6 percent at 40 and 3 percent at 80 µrad full-angle beam divergence. Final beam boresighting was set by maximizing the light injected into the fiber from the focused laser beam. Beam motion of $\pm 0.5 \mu rad$ completely extinguishes laser light coming out of the fiber. It was estimated that all error sources would make the worst-case boresight error $\pm 1.75 \mu rad$ for the 40- μ rad beam-divergence case and $\pm 2.25~\mu$ rad for the 80-µrad beam-divergence case. The actual beam divergence was verified by scanning the beam across highaltitude Earth-orbiting satellites equipped with retroreflectors.

D. Laser Characteristics

The laser used for these experiments was a frequency-doubled neodymium:yttrium-aluminum-garnet (Nd:Yag), Spectra-Physics Quanta-Ray DCR-2A, field-modified to the equivalent of a DCR-3G. The laser was equipped with Spectra-Physics' unstable Gaussian Coupled Resonator using Radially Variable Reflectivity coatings. This resonator produces a beam profile shaped more like a "top hat" than gaussian. This feature makes it easier to relay

through the optics and produces a more uniform intensity pattern at long ranges. The measured intensity profile in a plane equivalent to approximately 700,000 km is shown in Fig. 6. The laser pulse width was 14.5 nsec (full-width half-maximum), and the energy per pulse was 318 ± 10 mJ per pulse.

E. Telescope Pointing

The two-axis mount of the 1.5-m telescope is controlled by a microcomputer that is designed to accept data on an object's position from imaging cameras or a track processor. The microcomputer is equipped with relatively simple, but very effective, algorithms that compute angular positions and rates of low and high Earth-orbiting artificial satellites, as well as astronomical objects. The computer code is able to modify in real time the orbital parameters of satellites based on measurements of the satellite's position by imaging cameras or trackers.

The routines for pointing the telescope at a selected guide star and the computed position of Galileo were automated in a script that was executed by the telescope control computer. Thirty seconds prior to propagation, the script automatically pointed the telescope to the computed position of Galileo, and ten seconds after the end of the propagation, it repointed the telescope to the guide star. The position of the azimuth and elevation axes were recorded at the transmission time of each pulse.

F. Laser Diagnostics

The laser pulse width and energy were monitored by a Hamamatsu vacuum photodiode, 2 calibrated against a thermopile radiometer. Light to the vacuum photodiode consisted of the leakage through a turning mirror in the laser-beam injection optics. The thermopile radiometer was placed in the unattenuated beam. The output of the vacuum photodiode was digitized by a 1-GHz sample-rate digital oscilloscope at 1-nsec intervals and saved to a computer file. The pulse width was then computed from the digital data and the pulse energy was computed from the integral under the power-versus-time plot generated by the oscilloscope. The time of the trace was tagged to an accuracy of one millisecond by reading a WWV clock.

G. Communications and Data Transfer

Real-time communications between GOPEX control and SOR were via a dedicated phone line. A JPL representative was on-site to handle communications and monitor JPL control for permission to propagate, for unexpected abort commands, and to report the status of each propagation to the GOPEX Task Manager. Backup communications consisted of telephones and fax machines over commercial phone lines.

Prior to operations and between experiment days, Galileo navigational data and position predictions were exchanged over the Internet between JPL and SOR computers. This computer network was also used to pass downlinked Galileo images from JPL to the SOR in near real time during operations.

H. Atmospheric Data

Separate instruments were used to monitor the atmospheric conditions during operations. The measurements made included Fried's coherence length, r_0 ; the isoplanatic angle, θ_0 ; and the atmospheric extinction using a lidar receiver to measure the strength of the atmospheric backscatter from each laser pulse. The coherence length and isoplanatic angle are measured by making modulation-transfer-function and scintillation measurements of light from a nearby bright star.

I. Data Recorded

The data recorded during the operations included

- The time of the laser pulse to the nearest millisecond.
- (2) Instantaneous laser power versus time digitized in 1-nsec bins.
- (3) The telescope's azimuth position.
- (4) The telescope's elevation position.
- (5) The scan mirror's position off boresite.
- (6) The value of r_0 .
- (7) The value of θ_0 .
- (8) The lidar backscatter signal.

IV. Precursor Tests

Several propagation tests were conducted prior to operations with Galileo. SOR used Lageos and the Etalon artificial satellites and observed the retro-reflected signal return with a photomultiplier. The objectives of these tests were to (1) verify laser beam divergence and bore-sighting, (2) verify proper operation of the fast-steering mirror to scan the beam, and (3) get a rough idea of the beam profile.

² Model number R1193U.

On the mornings of October 1 and 2, 1992, successful laser uplink tests to Etalon 2 (Cosmos 2024) were conducted using 80- and 40- μ rad full-angle beam divergences. Returned signals were detected by a photomultiplier and outputs were saved on a digital oscilloscope. The photomultiplier was calibrated to allow an estimate of the number of photons detected. The beam was scanned across the satellite to measure beam divergence and boresighting and get a rough idea of the beam profile. The returned signal of the 40- μ rad beam was, on average, 3.6 (versus an expected value of 4) times stronger than the 80- μ rad beam. This represents a combined beam divergence discrepancy of 5 percent, well within the ± 10 -percent requirement set by JPL.

The scintillation of the return signal was quite severe, varying more than an order of magnitude. Average returns were approximately 400 detected photons for a 300mJ laser pulse. The data-recording equipment did not permit collecting the hundreds or thousands of detections required to amass adequate statistics on beam-profile mapping. However, when the beam was moved in 10-urad steps from boresight, one could easily see a sudden drop in the return signal to an undetectable level at the predicted position at the edge of the beam. Signal return was nearly constant over a 30- to 40-μrad radius for the 80- μ rad beam and dropped precipitously below 40 μ rad until it was completely undetectable at a 50-μrad radius. A bias of approximately 20 μ rad was observed along the track of the satellite, which was consistent with the expected point-ahead angle.

On the morning of October 2, 1992, a 40-µrad beam was propagated to Etalon 2. The telescope had to be pointed 23 μ rad ahead of the apparent position on the CCD camera. Without point-ahead correction, no detected signal was seen (consistent with a 40-μrad full-angle beam divergence). By moving the telescope 20 μ rad off-center and observing a complete loss of signal, it was further verified that the beam was not more than 40 μ rad in diameter. Also, the fast-steering mirror was implemented in a 20µrad square pattern, which demonstrated the expected effect of scanning the beam. When the beam was centered on the satellite, no periodic time variation was seen in the return signal (mentally averaging the scintillation). When the beam was not centered on the satellite, one could see a definite cyclic temporal pattern in the return signal, which indicated that the satellite was being hit on only one position of the scan.

Additional precursor tests were performed on the morning and evening of October 26 using Lageos and Etalon at the 80- μ rad beam divergence. Return signal levels were

approximately a factor of 25 times stronger from Lageos than Etalon, as expected from the difference in range to the satellites. The beam was step-scanned again with the fast-steering mirror to demonstrate the desired effect.

A full dress rehearsal was conducted on the morning of November 18. All communications circuits and procedures were effected as planned for actual GOPEX operations. The SOR Test Director conducted operations according to a timeline-based checklist. No major problems were encountered, and the checklist was executed well ahead of schedule. The telescope script worked flawlessly, and with the exception of one 4- μ rad correction, telescope-pointing corrections were unnecessary. The timing and the scan mirror scripts worked flawlessly. Laser alignment held throughout the test to better than 0.5 μ rad. Atmospheric data were collected, and the weather was perfect. The dress rehearsal resulted in a few minor changes to the checklist and improvements in communications with JPL operations.

V. Galileo Operations

A. Overview

The biggest problem at the SOR during Galileo operations was the weather. Of the seven test nights, it was reasonably clear on only one night (the second night). The site was fogged in during the mornings of the last three experiment days, preventing any propagations. Fog is not the norm for Albuquerque, a city that experienced more precipitation in December 1992 than in any December in the previous 100 years! At times researchers were propagating through cloud cover so heavy that the guide star was not visible on the CCD camera. Furthermore, on the first experiment day, the relative humidity was so high that to prevent condensation, between propagations a hand-held heat gun had to be used to blow warm air on the secondary mirror of the telescope. In the worst conditions, snow was falling or fog was condensing into snow and falling into the open dome.

Despite the bad weather, SOR successfully conducted operations on the first four experiment days. Table 2 summarizes SOR pulses detected by Galileo. These data, from an article by B. M. Levine, K. S. Shaik, and T.-Y. Yan of JPL summarize the analysis of the GOPEX images [2]. No pulses were detected by Galileo from TMF or SOR for camera-shutter opening times less than 400 msec. Furthermore, there were always fewer pulse detections than possible for shutter times of 400, 533, and 800 msec. One explanation is that the scan motion of the camera on Galileo was not perfectly synchronized with the shutter opening.

B. Operations Procedures

Activities to prepare for, conduct, and assess the nightly operations were based on a test director's checklist and timeline designed to allow ample time to correct minor problems. Appendix A is a facsimile of the test director's checklist for day 344, the first test day.

In general, a test day involves facility preparation; equipment turn-on and warm-up; functional equipment checkout; computer disk-space and directory setup; optics and laser alignment; integrated system checkout; final preparations and double checks; conducting the experiment; postexperiment debriefing; data quick-look; and identification of problems to be fixed. Many of the details of these tasks can be gleaned from the timeline in Appendix A.

C. The First Test Day, December 9, 1992

Sixty propagation sequences were planned for the first test day. The first propagation was at 11:13:35 UTC and every three minutes thereafter until 14:12:32 UTC. Thirty pulses were transmitted during each sequence. On many of these sequences, the fast-steering mirror was stepped between pulses to generate one of the two patterns shown in Fig. 4.

Appendix B contains a sample of the summary of the propagation sequences, two graphs showing plots of each pulse in each propagation sequence of the measured pulse energies and pulse widths, and a sample output from a spreadsheet summarizing the laser diagnostic and telescope-pointing data for each pulse transmitted.

The propagation sequence summary that appears in Appendix B also lists the sequence number; the day number; the time of the first pulse, to the nearest millisecond; a propagation-time correction offset, if needed; the Galileo shutter time; the number of shots in a repeating sequence with no scan-mirror offset; the number of shots in a sequence at some offset radius; the radius size; and comments made during operations after each propagation sequence.

Appendix C contains plots of environmental conditions recorded at the site during Galileo operations. The weather was generally not good the first night. It had been cold (a few degrees above freezing) and rainy all day. After sunset, massive fog set in and in the early part of the evening the relative humidity was nearly 100 percent. It was not possible to open the facility for temperature conditioning, as scheduled, due to the high humidity. At around 08:30 UTC, the sky began to clear and the wind

picked up, blowing low-lying clouds to the southeast. However, the sky was too cloudy to permit using a star to set the focus of the telescope with the wavefront sensor. It was necessary to focus the telescope just before the first propagation, based on previous experience and the best image at the guide-star CCD camera. During the propagation sequences, the relative humidity averaged 82 percent. Between propagations, a person (standing atop a stepladder in the dark) directed warm air over the secondary with a hand-held heat gun in order to prevent condensation on the secondary mirror's surface. The temperature plot of the secondary mirror in Appendix C (the plot for temperature sensor TS037, December 9, 1992) shows this process. The data in Appendix C also show that the temperature in the pier (sensor TS030 at the source simulators) averaged a little over 13 deg C, while the outside temperature (sensor TS006) was approximately -1.5 deg C, a very large gradient indeed. These large temperature variations had an unknown, but certainly degrading, effect on the optical quality of the transmitted beam. It was not possible to make any r_0 or θ_0 measurements on the first night due to equipment malfunction.

B. M. Levine, of JPL's Optical Sciences and Applications Section, has analyzed the images from Galileo to determine which frames show detections and to measure their strength with respect to the background. He reports that Galileo detected pulses from SOR on propagation sequences 1, 13, 16, 17, 20, 28, and 32.3 Note from the comments in the propagation sequence table in Appendix B that the cloud cover was so thick that it was not possible to see the guide star between sequences 4 and 12. The scan mirror was on during sequences 16, 20, 28, and 32, and off during the other sequences. A summary appears in Table 3. The signal levels reported by JPL are included in this table. The average signal from TMF was data number (dn) 199.8, a value comparable to dn 173.8 from SOR. The high standard deviation (dn 212.2) of the signal variability could be due to the fact that most of the pulses were transmitted while the beam was being scanned.

D. The Second Test Day, December 10, 1992

This was the best test day at the SOR. The sky was nearly clear except for a very thin subvisible cirrus cloud layer at the 17.5-km range, which was present during the first 19 or 20 propagations. The relative humidity was still much higher than normal, averaging nearly 70 percent during the propagations. Generally, everything worked per-

³ B. M. Levine, private communication, Optical Sciences and Applications Section, Jet Propulsion Laboratory, Pasadena, California, December 22, 1992, updated by further private communication.

fectly on this night. Every pulse was transmitted, and atmospheric data were collected for every laser transmission.

Table 4 summarizes the pulse detections by Galileo. There were 37 detections with the average signal dn 143, a factor of more than three times higher than the average signal from TMF. The standard deviation was dn 187 and the maximum signal was dn 354. The laser energy was a bit higher, on average, for this day, and the sky was generally clear although not a "photometric night." The atmospheric seeing was not exceptional, in fact it was less than average for this site.

E. The Third Test Day, December 11, 1992

The weather was again a problem on the third night. The first 11 propagations were into very heavy clouds, and in most cases it was not possible to see the guide star. At propagation sequence number 12, the clouds thinned enough for a detection by Galileo. Detections were also made on sequences 16 and 20, which were the only other shutter openings of 533 msec. The very last propagation was into a fairly clear sky.

Table 5 summarizes the pulse detections for test day 3. Only 11 pulses from SOR were detected. The average signal level was dn 66.0 (compared with dn 54.5 from TMF). Five pulses were detected on the last sequence when the weather was clearest.

F. The Fourth Test Day, December 12, 1992

The cloud cover was variable on the fourth night. Only 10 propagation sequences were conducted. Only three of the sequences were 533 msec. The sky was clear on the first few propagations but became very cloudy after the sixth propagation.

Table 6 summarizes the detections by Galileo on frames 3 and 6. Only 5 pulses were detected. The average signal level was dn 33.6. No TMF data are available for comparison since the facility was weathered out completely on that night.

G. The Last Three Nights, December 14-16, 1992

There is nothing to report for these nights since SOR was completely fogged in on all three nights. The last recorded fog in December in Albuquerque occurred in 1937.

VI. Conclusions

GOPEX was a major success, with 268 pulse detections from TMF on six nights at 15 and 30 Hz, and 76 pulse detections from SOR on four nights at 10 Hz. The signal levels were close to those expected.

Acknowledgments

This experiment would not have been possible without the dedication and expertise of the SOR GOPEX Team. The team members and their areas of responsibility under the author's team leadership and test direction were C. Batcheller, aircraft spotter; B. Boeke, emission control and monitor engineer; R. Cleis, telescope pointing and monitor engineer; J. Drummond, lidar operation and data reduction; B. Ellerbroek, theoretical calculations; F. Gallegos, facility operator and weather monitor; J. Glover, scan mirror operator and countdown announcer; H. Hemmati, JPL representative; G. Jones, CCD guide-star camera operator; Joe Lange, propagation safety officer; P. Leatherman, lidar instrumentation; C. Morgenstern, atmospheric instrumentation; M. Oliker, data compilation and reduction; R. Ruane, laser equipment engineer; J. Spinhirne, optics design, setup, and alignment; P. Stech, Spectra Physics laser maintenance; D. Swindle, wavefront sensor operator and secondary mirror warmer; and S. Torney, aircraft spotter.

The team is also grateful to the programmatic support of Phillips Laboratory management, including John Anderson, SOR Division Chief; Bill Thompson, Ground-Based Laser Technology Program Manager; and Barry Hogge, Chief Scientist of the Lasers and Imaging Directorate. This project could not have been accomplished without their financial and managerial support. GOPEX Task Manager, Keith Wilson, and his supervisor, James R. Lesh, of the Optical Communications Group at JPL were instrumnetal in the success of the SOR Team.

References

- [1] K. E. Wilson and J. R. Lesh, "An Overview of the Galileo Optical Experiment (GOPEX)," The Telecommunications and Data Acquisition Progress Report 42-114, vol. April-June 1993, Jet Propulsion Laboratory, Pasadena, California, pp. 192-204, August 15, 1993.
- [2] B. M. Levine, K. S. Shaik, and T.-Y. Yan, "Data Analysis for GOPEX Image Frames," The Telecommunications and Data Acquisition Progress Report 42-114, vol. April-June 1993, Jet Propulsion Laboratory, Pasadena, California, pp. 213-229, August 15, 1993.

Table 1. GOPEX operations schedule.

Test day, December 1992	Start time, UTC	End time, UTC	Number of transmissions	Time between transmissions, min
9	11:13:35	14:12:32	60	3
10	11:06:21	13:04:38	40	3
11	11:10:06	12:07:44	20	3
12	10:25:24	11:19:59	10	6
14	10:42:08	11:37:45	12	5
15	10:39:54	11:25:24	10	5
16	10:39:41	11:15:04	8	5

Table 2. SOR pulses detected by Galileo.

Test day, day of year	Number of pulses detected
1, 344	16
2, 345	43
3, 346	12
4, 347	5
5, 349	No propagations due to fog
6, 350	No propagations due to fog
7, 351	No propagations due to fog

Table 3. Results for the first test day, day 344, December 9, 1992.

Propagation sequence	Sky condition	r_0 , cm	$ heta_0$, $\mu\mathrm{rad}$	Atmospheric transmission from lidar data	Average energy per pulse, mJ	Beam scan radius, µrad	Galileo shutter time, msec	Number of pulses detected
1	Partly cloudy	No data	No data	0.77	310	0	400	1
13	Cloudy	No data	No data	0.92	312	0	400	2
16	Partly cloudy	No data	No data	0.81	312	60	800	4
17	Partly cloudy	No data	No data	0.80	315	0	400	2
20	Mostly cloudy	No data	No data	0.94	311	60	800	3
28	Good	No data	No data	0.80	315	30	400	1
32	Clear	No data	No data		317	30	400	1
Total number	of detections	14				· · · · · ·		
Minimum dn		10						
Maximum dn	L	631						
Average dn		173.8						
Standard dev	iation dn	212.2						

Table 4. Results for the second test day, day 345, December 10, 1992.

Propagation sequence	Sky condition	r ₀ , cm	$ heta_0, \ \mu ext{rad}$	Atmospheric transmission from lidar data	Average energy per pulse, mJ	Beam scan radius, μ rad	Galileo shutter time, msec	Number of pulses detected
4	Subvisible cirrus	6.45	7.52	0.67	342	0	800	3
5	Subvisible cirrus	6.77	9.16	0.69	340	0	533	2
6	Subvisible cirrus	6.45	9.59	0.71	342	0	533	2
8	Subvisible cirrus	7.21	8.25	0.74	337	0	800	5
9	Subvisible cirrus	7.55	8.88	0.76	336	0	533	2
10	Subvisible cirrus	6.45	7.45	0.79	337	0	533	, 2
12	Subvisible cirrus	4.43	8.49	0.78	337	0	800	4
13	Subvisible cirrus	4.07	7.58	0.76	338	0	533	2
14	Subvisible cirrus	4.74	8.93	0.75	337	0	533	2
16	Subvisible cirrus	6.48	6.76	0.76	338	0	800	5
17	Subvisible cirrus	5.06	5.81	0.77	336	0	533	2
18	Subvisible cirrus	4.96	6.64	0.76	338	0	533	1
20	Clear	6.75	8.06	0.78	337	0	800	2
28	Clear	5.73	5.62	0.80	338	0	533	1
32	Clear	6.32	8.92	0.79	336	0	533	2
Total number	of detections	37						
Minimum dn		14						
Maximum dn		354						
Average dn		143						
Standard dev	iation dn	187						

Table 5. Results for the third test day, day 346, December 11, 1992.

Propagation sequence	Sky condition	<i>r</i> ₀ , cm	$ heta_0$, $\mu{ m rad}$	Atmospheric transmission from lidar data	Average energy per pulse, mJ	Beam scan radius, μ rad	Galileo shutter time, msec	Number of pulses detected
12	Clouds	No data	No data	0.75	327	0	400	4
16	Very thick clouds	No data	No data	0.76	328	0	400	2
20	Fairly clear	9.18	4.67	0.75	327	60	800	5
Total number	of detections	11			· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
Minimum dn		14						
Maximum dn	ı	292						
Average dn		66						
Standard dev	riation dn	76						

Table 6. Results for the fourth test day, day 347, December 12, 1992.

Propagation sequence	Sky condition	$r_0, \ m cm$	$ heta_0,\ \mu ext{rad}$	Atmospheric transmission from lidar data	Average energy per pulse, mJ	Beam scan radius, μrad	Galileo shutter time, msec	Number of pulses detected	
3	Clear	Est. 7.5	Est. 5.0	0.69	299 295	0	533	2	
6	Very thick clouds	Est. 7.5	Est. 5.0	0.59		0	533	3	
Total number	of detections	5					· · · · · · · · · · · · · · · · · · ·		
Minimum dn		6							
Maximum dn	l	81							
Average dn		33.6							
Standard dev	iation dn	30.1							




Fig. 1. Starfire Optical Range 1.5-m telescope facility.




Fig. 2. Coudé path relay optics and source simulators for GOPEX.




Fig. 3. Coudé room optics layout at SOR, as configured for GOPEX.




Fig. 4. GOPEX scan patterns used during the first test night, with an 80- μ rad beam divergence: (a) 4-pulse mode, no pulse on center, 30- μ rad offset and (b) 8-pulse mode, 1 pulse on center, 7 pulses at 60- μ rad offset.




Fig. 5. 1.5-m pier area showing locations of new source simulators for GOPEX: (a) Top view and (b) side view.




Fig. 6. Laser beam profile measured 127 cm in front of the laser. The beam is round, the distortion is due to the printer: (a) 3-D profile and (b) contour plot.

Appendix A Test Director's Checklist

An example of the test director's checklist is shown on the following pages.

CODEY COD	+		 	 		
GOPEX at SOR	1	-	ļ	 	 	
	1			1		
Test Director's Check List	1	l		L		
Assigned Facility Operator (FO)	Fred Galle	gos	ļ	<u> </u>		
Test Day	344	ļ <u></u>	<u> </u>	L		
Beam Divergence	80					
First Propagation	11:13:34				_	
			Back-up 1	ومرك	present	
Test Director	Bob Fuge	10				
JPL Representative	Hamld He					
Facility operator	Fred Galle				 	Too not to come in due to wx
	Curt Bate		· · · · · · · · · · · · · · · · · · ·	1		THE ART THE SAME TO THE
	Steve Tor			<u> </u>	-	
	Joe Lange		ł-	 		
	Rick Cleis		 			
			Jack Drun			
	Phil Leat		Jack vien	mona		
		forgenstern	Mine B	ody		
	Dave Swir					
Photometerics Operator	Gary Jone			L		
Optics and Laser Operator	Jim Spinh	ilrne _				
Laser Diagnostics Operator	Bruce Boo	ke				
	Paul Steci		1			
	Mike Olike					
		· · · · · · · · · · · · · · · · · · ·	1	1	1	
	†	Scheduled	To be	Completed	Actual	
· · · · · · · · · · · · · · · · · · ·	 -	Start	completed		Completion	
Taab	711			(tablete)		
Tesk	T-time	time (UTC)	by (init)	(initials)	Time	Comments
FACILITY PREPARATION	0.00	.		 		1
Open domes	8:00	3:13	PO	ļ		Deloyed due to FOG/High Humid
Open dome shutters	7:45	3:28	PO			Delayed due to For
Uncover 1.5 m tele	7:40	3:33	PO	L		Delayed " " "
Uncover r0 tele	7:35	3:38	PO			Delayed
Turn on pler lan	7:30	3:43	FO.			Delayed
Record site temps	7:25	3:48	RO .	ROF	03:50	7 7
Record wind data	7:20	3:53	PO PO	Cox F	03:50	
Record RH data	7:15	3:58	FO	12 a P	03:50	
Check all eky camera	7:10	4:03	RO.	Par	03:55	· · · · · · · · · · · · · · · · · · ·
Turn on WEFAX	7:05	4:08	FO.	ROF		T O mice lains and
Turn on telescope control computer	7:30		WJL	ICOT	04:15	Turn on carry for pics/prognosis
		3:43				Delayed
Turn on 1.5 m tele control console	7:20	3:53	WJL	1	05:20	Delayel
						•
Turn on safety officer's console	7:10	4:03	WJL	1	04:15	Deloyed
Turn on aircraft detection radar	7:05	4:08	WJL			Delayed
Perform radar check	7:00	4:13	WJL	Ì		Delayed.
	1					THE TAX SALE.
Pre-test Briefing	0.00	4:43	ROF	ROF	05:20	Bruce Boele absent
				13.71	77.50	O'THE DOUBLE HEIDAN
Fre-test Ottening	6:30					
			TEAM	 		
EQUIPMENT TURN-ON	6:00	5:13	TEAM		- C	
EQUIPMENT TURN-ON Spotter comm and kill switch	6:00 6:00	5:13 5:13	CB	₩JL	ઇ ક્ટા	
EQUIPMENT TURN-ON Spotter comm and kill switch to telescope and control computer	6:00 6:00	5:13 5:13 5:13	CB CM	MZL	र्क्ड र	
EQUIPMENT TURN-ON Spotter comm and kill switch to telescope and control computer to instrumentation computer	6:00 6:00 6:00 5:50	5:13 5:13 5:13 5:23	C8 CM CM			
EQUIPMENT TURN-ON Spotler comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics	6:00 6:00 6:00 5:50 6:00	5:13 5:13 5:13 5:23 5:13	CB CM CM PL	₽L W3L	25.25	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer LIDAR receiver electronics Annotation computer	8:00 6:00 6:00 5:50 6:00 8:00	5:13 5:13 5:13 5:23 5:13 5:13	CB CM CM PL FIAC	PL —	75:25 alred, on	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler	8:00 6:00 5:00 5:50 6:00 8:00	5:13 5:13 5:13 5:23 5:13 5:13 5:13	CB CM CM PL PL RAC MDO		75:25 alred, on 05:20	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer	6:00 6:00 5:50 6:00 5:50 6:00 6:00 5:55	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18	CB CM CM PL RAC MDO MDO	PL —	25:25 almul, on 05:20 05:20	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer	8:00 6:00 5:00 5:50 6:00 8:00	5:13 5:13 5:13 5:23 5:13 5:13 5:13	CB CM CM PL PL RAC MDO	P L 5W5	75:25 alred, on 05:20 05:20	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Teal time digital reconstructor Oligital reconstructor computer	6:00 6:00 5:50 6:00 5:50 6:00 6:00 5:55	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18	CB CM CM PL RAC MDO MDO	PL - 10W4 12V5	75:25 alred, on 05:20 05:20	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Teal time digital reconstructor Oligital reconstructor computer	6:00 6:00 5:50 6:00 6:00 6:00 6:00 5:55	5:13 5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23	CB CM CM PL PAC MDO MDO MDO	PL - 5W5 525 5W5	75:25 alred, on 05:20 05:30 05:30 05:32	
EQUIPMENT TURN-ON Spotter comm and kill switch to telescope and control computer to instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor control computer Real time digital reconstructor Ligital reconstructor control computer	6:00 6:00 5:50 6:00 6:00 6:00 6:00 5:55 5:50	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:18 5:23 5:28	CB OM OM PL RAC MDO MDO MDO MDO	PL 	75:25 alred, on 05:20 05:30 05:30 05:32	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 10 instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Teles time digital reconstructor Digital reconstructor control computer Oligital reconstructor diagnostic computers Photometrics camera and cooler	6:00 6:00 6:00 5:50 6:00 6:00 6:00 5:55 6:50 5:45 5:38	5:13 5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23 5:28	CB OM OM PL FAC MDO MDO MDO MDO MDO MDO	PL 	75:25 alred, on 05:20 05:30 05:30 05:32	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Oligital reconstructor control computer Protometrics camera and cooler Photometrics camera and cooler Photometrics control computer	6:00 6:00 6:00 5:50 6:00 6:00 5:55 5:55	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23	CB OM OM OM PL PAC MDO MDO MDO MDO MDO MDO MDO OM OD OD OD	PL 	25:25 alread, an 05:20 05:30 05:30 05:32 05:32 05:32 05:32	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefrort sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics camera and cooler Photometrics camera and cooler Photometrics camera and cooler This mirror power supply and electronics	6:00 6:00 6:00 5:50 6:00 6:00 6:00 5:55 5:55	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:35	CB CM CM PL PL RAC MDO MDO MDO MDO MDO MDO GJ GJ RAC	PL	25:25 alread, an 05:20 05:30 05:30 05:32 05:32 05:32 05:32	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics camera and cooler Photometrics camera and cooler Photometrics control computer Illi mirror power supply and electronics Timing and till mirror control computer	6:00 6:00 6:00 5:50 6:00 6:00 6:55 5:55 5	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23 5:28 5:28 5:28 5:35 5:13 5:23 5:23	CB CM OM PL FAC MIDO MDO MDO MDO MDO MDO GU GJ FAC FAC FAC	PL	75:25 alred, on 05:20 05:30 05:30 05:32 05:32 05:20 05:20 05:20	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer I.DAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics camera and cooler Photometrics control computer Till mirror power supply and electronics Tilling and till mirror control computer Tracker electronics	6:00 6:00 6:00 5:50 6:00 6:00 5:55 6:50 5:45 6:38 6:00 5:55 5:38 6:50 5:45 5:38	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:23 5:33 5:38	C8 CM CM PL RAC MDO MDO MDO MDO MDO MDO MDO GJ RAC PAC RAC	PL 	75:25 alred, AN 05:20 05:30 05:31 05:32 05:25 05:25 05:22 05:27	
EQUIPMENT TURN-ON Spotter comm and kill switch 10 telescope and control computer 10 Instrumentation computer 10.Instrumentation control contro	8:00 6:00 6:00 6:00 6:00 6:00 6:00 6:55 5:45 6:38 6:00 5:55 5:45 6:50 5:40 5:38	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:28 5:35 6:13 5:33 5:38 5:38	CB CM OM PL FAC MOO MOO MOO MOO MOO MOO MOO MOO MOO MO	PL DWS DWS DWS GS EAC LAC BRB	75:25 alred, on 05:26 05:30 05:32 05:32 05:35 05:26 05:20 05:20 05:21 05:21	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics camera and cooler Photometrics camera and cooler This mirror power supply and electronics Tirring and till mirror control computer Tracker electronics Vacuum photodiode high voltage power suppligital oscilloscope for pulse monitoring	6:00 6:00 6:00 6:50 6:00 6:00 6:00 6:05 5:55 6:55 6	5:13 5:13 5:13 5:23 5:13 5:13 5:13 5:18 5:23 5:28 5:29 5:23 5:23 5:35 5:33 5:38 5:45 5:13	OS OM PL PL PMC MDO MDO MDO MDO GJ GJ FMC PMC PMC PMC BFB	PL - 5W5 5W5 5W5 5W5 5W5 65 65 65 8AC 7AC BRB 866	75:15 alred, 80 05:20 05:30 05:30 05:32 05:32 05:32 05:32 05:20 05:20 05:21 05:21	
EQUIPMENT TURN-ON Spotler comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer leat time digital reconstructor Oligital reconstructor control computer Digital reconstructor diagnostic computers Photometrics control computer Illi mirror power supply and electronics Illiming and till mirror control computer Fracker electronics Vacuum photodiode high voltage power suppligital collisscope for pulse monitoring asser diagnostics computer	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:33 5:38 5:38 5:45 5:13 5:13	C8	PL DWS DWS DWS GT GT RAC BRB DRB	75:15 alred, on 05:16 05:30 05:30 05:31 05:12 05:12 05:12 05:12 05:14 05:40	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer 1DAR receiver electronics Annotation computer Mavelront sensor camera and cooler Wavelront sensor control computer lead time digital reconstructor Digital reconstructor control computer lead time digital reconstructor pighal reconstructor disgnostic computer Photometrics camera and cooler Photometrics camera and cooler Tilt mirror power supply and electronics Irining and tilt mirror control computer Iricaker electronics Vacuum photodiode high voltage power sup Digital oscilloscope for pulse monitoring asser diagnostics computer asser dagnostics computer	6:00 6:00 6:00 5:50 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:38 6:00 5:55 5:40 5:35 5:40 5:55 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:33 5:38 5:38 5:38 5:18 5:18 5:18 5:18	C8 CM CM PL FAC FAC MDO MDO MDO MDO MDO MDO MDO FAC GU FAC	PL DWS DWS DWS DWS CS CS CAC RAC RAC BRB DRB RERE	75:15 alred, on 05:16 05:30 05:30 05:31 05:12 05:12 05:12 05:12 05:14 05:40	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer 1DAR receiver electronics Annotation computer Mavelront sensor camera and cooler Wavelront sensor control computer lead time digital reconstructor Digital reconstructor control computer lead time digital reconstructor pighal reconstructor disgnostic computer Photometrics camera and cooler Photometrics camera and cooler Tilt mirror power supply and electronics Irining and tilt mirror control computer Iricaker electronics Vacuum photodiode high voltage power sup Digital oscilloscope for pulse monitoring asser diagnostics computer asser dagnostics computer	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:33 5:38 5:38 5:45 5:13 5:13	C8	PL DWS DWS DWS GT GT RAC BRB DRB	75:15 alred, on 05:16 05:30 05:30 05:31 05:12 05:12 05:12 05:12 05:14 05:40	
EQUIPMENT TURN-ON Spotter comm and kill switch O telescope and control computer O instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics camera and cooler Photometrics control computer Till mirror power supply and electronics Timing and till mirror control computer racker electronics Vacuum photodiode high voltage power suppligital codioscope for pulse monitoring asser diagnisotics computer asser water chiller and heat exchanger asser water chiller and heat exchanger	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:38 6:00 5:55 5:40 5:35 6:00 5:55 6:00 5:55	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:38 5:45 5:13 5:18 5:23	C8 CM CM PL RAC MDO MDO MDO MDO MDO MDO GJ RAC RAC RAC B1B B1B FB1 FB1	PL DWS DWS DWS DWS CS CS CAC RAC RAC BRB DRB RERE	75:15 alred, 80 05:20 05:30 05:30 05:32 05:32 05:32 05:32 05:20 05:20 05:21 05:21	
EQUIPMENT TURN-ON Spotler comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer leal time digital reconstructor Olgital reconstructor control computer Digital reconstructor diagnostic computers Photometrics control computer Digital reconstructor only the reconstructor Illit mirror power supply and electronics Illiming and till mirror control computer racker electronics Vacuum photodiode high voltage power suppligital oscilloscope for pulse monitoring aser diagnostics computer aser water chiller and heat exchanger aser power supply and control electronics	6:00 6:00 6:00 5:50 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:38 6:00 5:55 5:40 5:35 5:40 5:55 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:33 5:38 5:38 5:38 5:18 5:18 5:18 5:18	C8 CM CM PL FAC FAC MDO MDO MDO MDO MDO MDO MDO FAC GU FAC	PL DWS DWS DWS DWS CS CS CAC RAC RAC BRB DRB RERE	75:15 alred, on 05:16 05:30 05:30 05:31 05:12 05:12 05:12 05:12 05:14 05:40	
EQUIPMENT TURN-ON Spotter comm and kill switch 10 telescope and control computer 10 Instrumentation control computer 11 Instrumentation control computer 12 Instrumentation control computer 13 Instrumentation control computer 14 Instrumentation control computer 15 Instrumentation control co	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:38 6:00 5:55 5:40 5:35 6:00 5:55 6:00 5:55	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:38 5:45 5:13 5:18 5:23	C8 CM CM PL RAC MDO MDO MDO MDO MDO MDO GJ RAC RAC RAC B1B B1B FB1 FB1	PL	75:15 alred, M 05:20 05:30 05:30 05:30 05:32 05:35	
EQUIPMENT TURN-ON Spotter comm and kill switch O telescope and control computer O instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor comera and cooler Wavefront sensor control computer Teal time digital reconstructor Digital reconstructor control computer Teal time digital reconstructor Digital reconstructor diagnostic computers Photometrics camera and cooler Photometrics control computer Till mirror power supply and electronics Till mirror power supply and electronics Vacuum photodiode high voltage power suppligital sealisocope for pulse monitoring asser diagnostics computer asser water childre and heat exchanger asser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK 28 (apotter equipment)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:18 5:23 5:35 6:13 5:23 5:35 5:23 5:33 5:45 5:13 5:18 5:23 5:13 5:18 5:23 5:13 5:13	CB CM CM PL RAC MDO MDO MDO MDO MDO MDO MDO CJ RAC	PL	75:25 almed, m 05:26 05:30 05:30 05:32 05:32 05:25 05:21 05:21 05:21 05:21 05:21 05:21 05:25 05:30 05:35	
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor obligital reconstructor Digital reconstructor dispnositic computers Photometrics control computer Till mirror power supply and electronics Timing and till mirror control computer Tracker electronics Vacuum photodiode high voltage power suppligital oscilloscope for pulse monitoring asser diagnostics computer asser water chilfer and heat exchanger asser water chilfer and heat exchanger asser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK Signotier equipment) Kill (all salety equipment)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:55 6:50 5:45 6:38 6:00 5:55 5:50 5:40 5:38 6:00 5:55 6:00 5:55 6:00 5:55	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:38 5:45 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:38 5:38 5:38 5:38 5:38 5:38 5:38 5:3	CS OM PL RAC MOO MOO MOO MOO MOO MOO MOO MOO RAC GI RAC	PL DWS DWS DWS OWS GT EAC RAC RAC BRB DCIR CER RER RER RER	75:25 almul, 20 05:28 05:39 05:39 05:39 05:39 05:20 05:21 05:21 05:21 05:21 05:21 05:21 05:21 05:21 05:21 05:21	Delayed A. So Luy - A/O E: I
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 0 instrumentation computer 1DAR receive electronics Annotation computer Mavelront sensor camera and cooler Mavelront sensor control computer lead time digital reconstructor Digital reconstructor control computer lead time digital reconstructor computer ligital reconstructor disgnostic computers Photometrics comera and cooler Photometrics control computer Illit mirror power supply and electronics Irining and till mirror control computer recker electronics Jacuum photodiode high voltage power sup Digital oscilloscope for pulse monitoring aser diagnostics computer aser water chiller and heat exchanger aser water chiller and heat exchanger aser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK (28 (spotter equipment) Volt (all salety equipment) Volt (all salety equipment)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 5:38 6:00 5:55 5:40 5:55 5:55 5:40 5:55 5:55 5	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:28 5:28 5:28 5:35 6:13 5:23 5:38 5:45 5:13 5:18 5:23 5:38 5:45 5:13 5:18 5:23	CS CM PL RAC MDO MDO MDO MDO MDO MDO MDO MDO RAC	PL	75: 25 alred, M 05: 26 05: 30 05: 30 05: 35 05: 25 05: 25 05: 22 05: 22 05: 21 05: 21 05: 21 05: 21 05: 21 05: 25 05:	Deloyed due to wx - A/O Failure
EQUIPMENT TURN-ON Spotter comm and kill switch O telescope and control computer O instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor comera and cooler Wavefront sensor control computer Teal time digital reconstructor Oligital reconstructor control computer Teal time digital reconstructor Oligital reconstructor diagnostic computers Photometrics camera and cooler Photometrics control computer IIII mirror power supply and electronics Timing and till mirror control computer Fracker electronics Vacuum photodiode high voltage power supplicital cedificacope for pulse monitoring aser diagnostics computer aser water childre and heat exchanger aser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK 28 (apotter equipment) MJL (all salety equipment) MJL (all salety equipment) L (LIDAR electronics)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:35 5:23 5:38 5:45 5:13 5:18 5:23 5:13 5:18 5:23 5:14 5:13 5:14 5:23 5:14 5:14 5:23 5:14 5:14 5:14	CS CM PL RMC MDO	PL	75:25 almul, m 05:26 05:30 05:35 05:35 05:35 05:35 05:26 05:35 05:25 05:25 05:25 05:40 05:40 05:40 05:40 05:40 05:40 05:40 05:40 05:40	Delayed due to wx - AID Failure Delayed " " " - Poprecial 100
EQUIPMENT TURN-ON Spotler comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer leal time digital reconstructor Digital reconstructor computer Digital reconstructor diagnostic computers Photometrics control computer Digital reconstructor diagnostic computers Photometrics control computer Digital reconstructor of diagnostic computers Photometrics control computer Digital of the control computer Tracker electronics Vacuum photodiode high voltage power suppligital oscilloscope for pulse monitoring aser diagnostics computer aser water chiller and heat exchanger aser water chiller and heat exchanger aser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK Se (apotter equipment) M. (all salety equipment) M. (all salety equipment) M. (all salety equipment) M. (all salety equipment) J. (LIDAR electronics) J. (LIDAR electronics) J. (C. LIDAR electronics)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:00 5:55 6:50 5:50 5:40 6:00 6:00 6:00 6:00 6:00 6:00 6:00 6	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:45 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:24 5:25 5:36 5:37 5:47 5:48 5:49 5:49	08 0M PL RAC MOO MOO MOO MOO MOO MOO MOO MOO MOO MO	PL DWS DWS DWS GS GS RAC RAC BRB DCS CER RER RER RER REF REF REF REF PWS	75: 25 almed, 20 05: 20 05: 32 05: 35 05: 35 05: 25 05: 24 05: 24 05: 24 05: 24 05: 25 05:	Delayed due to wx - A/D Failure Delayed in in - Popreclus pos
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 10 Instrumentation control computer 11 Instrumentation control computer 12 Instrumentation 13 Instrumentation 14 Instrumentation 15 Instrumentation 16 Instrumentation 17 Instrumentation 18 Instru	6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 5:38 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:23 5:23 5:35 6:13 5:23 5:38 5:13 5:38 5:18 5:18 5:19 5:23 5:38 5:45 5:13 5:18 5:45 5:45 5:47 5:48 5:47 5:48 5:49 5:51	68 6M	PL DWS DWS DWS OWS GT GA RAC BRB DID DID RER RER REF LAF LAF DWS RER RER REF LAF LAF LAF LAF LAF LAF LAF LAF LAF LA	75: 15 alred, 80 05: 26 05: 30 05: 30 05: 32 05: 125 05: 125 05: 125 05: 121 05: 120 05: 121 05: 120 05: 121 05: 120 05: 125 05: 125 06: 12	Delayed due to wx-AD Failure Delayed "" "- Nopreclus No.
EQUIPMENT TURN-ON Spotter comm and kill switch 0 telescope and control computer 10 Instrumentation computer 10.IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor comera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Potential control computer Photometrics control computer Till mirror power supply and electronics Timing and till mirror control computer Tracker electronics Vacuum photodiode high voltage power supply ligital oscilloscope for pulse monitoring asser diagnostics computer asser degrandisc and the services asser water chiller and heat exchanger asser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK 28 (spotter equipment) MJL (all salety equipment) MJL (all salety equipment) MJCI ((IDAR electronics) MJO (wavefront sensor and reconstructor) 33 (photometrics camera)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 6:00 5:55 6:50 5:50 5:40 6:00 6:00 6:00 6:00 6:00 6:00 6:00 6	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:45 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:24 5:25 5:36 5:37 5:47 5:48 5:49 5:49	08 0M PL RAC MOO MOO MOO MOO MOO MOO MOO MOO MOO MO	PL DWS DWS DWS GS GS RAC RAC BRB DCS CER RER RER RER REF REF REF REF PWS	75:25 almid, m 05:26 05:30 05:35 05:35 05:35 05:35 05:26 05:35	Delayed the to WX-A/D Failure Delayed " " "- Noprectuck No.
EQUIPMENT TURN-ON Spotter comm and kill switch O telescope and control computer O instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor comera and cooler Wavefront sensor control computer Teal time digital reconstructor Digital reconstructor control computer Teal time digital reconstructor Digital reconstructor diagnostic computers Photometrics camera and cooler Photometrics control computer Titiment and till ill imfore computer Tracker electronics Vacuum photodiode high voltage power sup Digital sealisosope for pulse monitoring aser diagnostics computer aser water childre and heat exchanger aser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK DB (apotter equipment) MJL (all salety equipment) MJC (all salety equipment) LC (LIDAR electronics) MDO (wavefront sensor and reconstructor) 30 (photometrics camera) SIBB (laser diagnostic equipment)	6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 5:38 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:23 5:23 5:35 6:13 5:23 5:38 5:13 5:38 5:18 5:18 5:19 5:23 5:38 5:45 5:13 5:18 5:45 5:45 5:47 5:48 5:47 5:48 5:49 5:51	68 6M	PL DWS DWS DWS OWS GT GA RAC BRB DID DID RER RER REF LAF LAF DWS RER RER REF LAF LAF LAF LAF LAF LAF LAF LAF LAF LA	75:25 almid, m 05:26 05:30 05:35 05:35 05:35 05:35 05:26 05:35	Delayed due to WX-A/D Failure Delayed "" "- Nopreclash AD
EQUIPMENT TURN-ON Spotter comm and kill switch O telescope and control computer O instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor computer Photometrics control computer Photometrics control computer Illit mirror power supply and electronics Illiming and till mirror control computer Illit control computer Illit mirror power supply and electronics Illiming and till mirror control computer Tracker electronics Vacuum photodiode high voltage power suppligital oscilloscope for pulse monitoring asser diagneotics computer asser water chiller and heat exchanger asser water chiller and heat exchanger asser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK Se (apotter equipment) M (fo Instrumentation) PL (LIDAR electronics) MOO (wavefront sensor and reconstructor) 31 (photometrics camera) 38B (asser diagnostic equipment) NAC (telescope and control electronics)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:45 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:24 5:35 5:45 5:45 5:47 5:48 5:49 5:49 5:49 5:49 5:49 5:49 5:40 5:40 5:40 5:51	CS CM PL RMC MDO	PL DWS DWS DWS CST CST CST CST CST CST CST CST CST CS	75: 15 almed, on 05: 30 05: 30 05: 30 05: 30 05: 30 05: 12 05:	Delayed due to wx - AID Failure Delayed " " " - Nopreclash so
EQUIPMENT TURN-ON Spotler comm and kill switch 10 telescope and control computer 10 Instrumentation computer LIDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Wavefront sensor control computer Real time digital reconstructor Digital reconstructor control computer Photometrics control computer Photometrics control computer Till mirror power supply and electronics Timing and till mirror control computer Tracker electronics Vacuum photodiode high voltage power suppl Digital oscilloscope for pulse monitoring Laser diagnostics computer Laser diagnostics computer Laser water childer and heat exchanger Laser water childer and heat exchanger Laser water childer and heat exchanger Laser supply end control electronics FUNCTIONAL EQUIPMENT CHECK 28 (apotler equipment) CM (rd instrumentation) PL (LIDAR electronics) MOO (wavefront sensor and reconstructor) 33 (photometrics camera) BIB (laser diagnostic equipment) NAC (tilt mirror and leser timing)	6:00 6:00 6:00 6:00 6:00 6:00 6:05 5:55 6:50 5:45 5:38 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 5:55 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:23 5:23 5:35 6:13 5:23 5:38 5:13 5:18 5:18 5:123 5:18 5:18 5:18 5:18 5:18 5:18 5:19 5:18 5:19	CS CN PL RVC MXO	PL - DWS DWS DWS OWS GT GA RAC BRB BRB BRB BRB RER REF RAF RAF RAF RAF RAF RAF RAF RAF RAF RA	75: 15 alred, M 05: 26 05: 30 05: 30 05: 32 05: 32 05: 125 05: 126 05: 121 05: 120 05: 121 05: 120 05: 121 05: 120 05: 121 05: 120 05: 120 06: 15: 120 06: 15: 120 06: 15: 120 06: 15: 120 06: 15: 120	Delayed due to wx - A/D Failure Delayed "" " - Popreciment Not
EQUIPMENT TURN-ON Spotler comm and kill switch 0 telescope and control computer 0 instrumentation computer IDAR receiver electronics Annotation computer Wavefront sensor camera and cooler Wavefront sensor control computer Real time digital reconstructor Digital reconstructor computer Digital reconstructor diagnostic computer Potometrics camera and cooler Photometrics control computer Digital reconstructor diagnostic computer Digital reconstructor of the computer Digital reconstructor diagnostic computer Photometrics control computer Digital osciliascops on pulse monitoring aser diagnostics of pulse monitoring aser diagnostics computer aser water chiller and heat exchanger aser water chiller and heat exchanger aser water chiller and heat exchanger aser power supply and control electronics FUNCTIONAL EQUIPMENT CHECK Se (apotter equipment) M. (fol Instrumentation) D. (LIDAR electronics) J. (photometrics camera)	6:00 6:00 6:00 6:00 6:00 6:00 6:00 6:00	5:13 5:13 5:13 5:13 5:13 5:13 5:13 5:18 5:23 5:28 5:35 6:13 5:23 5:38 5:38 5:45 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:23 5:18 5:24 5:35 5:45 5:45 5:47 5:48 5:49 5:49 5:49 5:49 5:49 5:49 5:40 5:40 5:40 5:51	68 6M FL FAC MOO MOO MOO MOO MOO MOO MOO MOO MOO FAC	PL DWS DWS DWS CST CST CST CST CST CST CST CST CST CS	75: 15 almed, on 05: 30 05: 30 05: 30 05: 30 05: 30 05: 12 05:	Deloyed due to wx - AID Failure Delayed "" "- Noprechables

Fig. A-1. Test director's checklist for GOPEX, day 344, December 9, 1992.

Load timing files	4:45	6:28	PAC	PAC.	02:10	I
Generate timing scripts (only for new data)	5:00	6:13	ROF	Lr.ce F		No new data today
Validate pointing and timing files	4:30	6:43	PAC	RAG	02.00	
				l		
SET-UP DISK SPACE ON COMPUTERS						
Telescope control computer	4:15	6:58	PAC	PAC	05:30	
Timing and till mirror control computer	4:15	6:58	PAC	JMS_	05:30	
Photometrics control computer	4:15	6:58	GI	65	06:10	150 MB available
Laser diagnostic computer	4:15	6:58	BRB	BAB	06.20	
Wavefront sensor control computer	4:15	6:58	MOO	M00	06.20	Note that the second se
r0 Instrumentation computer LIDAR digital oscilloscope and computer	4:15	6:58	<u> </u>	×	<u>×</u>	Delayed PID Failure
LIDAR digital oscilloscope and computer	4:15	6:58	PL	PL	06:20	Bom Bounilable (29Kx60 medad
PREPARE OPTICS AND LASER	1		+	 	 	ļ
Check alignment of M4 source simulator	5:30	5:43	JMS	IMS	06:47	
Check alignment of infinity source simulator		6:13	JMS	71/15		
Check pupil centration	4:45	6:28	JMS	 1 - 1	-06:40	
Check alignment of phorometrics camera	4:00	7:13	JMS	 	 	
Check boresight of 18.75 km source sim	3:30	7:43	JMS	+		
Check and adjust laser boresight and cen.	3:15	7:58	JMS	\vdash		
Check and adjust laser focus	3:30	7:43	JMS	 	 	
Calibrate pulse width and energy monitor	3:00	8:13	BABURER	13215	16:40	
Set telescope focus using wavefront sensor	4:00	7:13	MDO	1.17.2.17		Not time due to wx
Cot toloscope locas asing wavellork sellsor	1.00	7.13	WLO_	 	<u>×</u>	Post Frice and to wook
Perform Integrated system checkout	2:00	9:13	ROF	MOF	10:45	maland districts to the
magneted electron	2.00		1-1-1-		10:43	Deloyed due to high humidity
Proof read pointing and timing scripts	1:00	10:13	ROF, RAC	RAFAAC	02:30	
Perform final system readiness check	0:45	10:13	ROF.		02:30	
Perform final laser boresight and focus	0:40	10:33	JMS	JMS	10:50	
Remove 18.75 km source simulator	0:35	10:38	JMS	SMS	1053	·
Adjust half wave plate for max output	0:33	10:40	JMS	JM5	1054	
Laser flashlamps to full power	0:30	10:43	JMS	JM5	10,13	part of system chack
Start telescope control script	0:30	10:43	FAC	1-AK	(0:13	
Start timing control script	0:28	10:45	FIAC	RAC	10:13	
Send photometrics images to telescope oper		10:48	GJ	RAC	10:50	
Start laser diagnostic computer program	0:30	10:43	BFB	RAC	10:13	
Verify all systems operational	0:20	10:53	team		10:55	
			1			
	I					
CONDUCT EXPERIMENT		11:13				
Check for GO/NO-GO comm	0:03	11:10	нн			
Monitor and check propagation times	0:00	11:13	FOF			
Monitor comm lines for NO-GO command	0:00	11:13	НН		~	
Monitor and record anomolies in scripts	0:00	11:13	TEAM			
Record photometrics Images	0:00					
	0.00	11:13	l GJ			
Record quad video of laser and photometrics	0:00	11:13	WJL			
Record quad video of laser and photometrics		11:13				See propagation son for
Record quad video of laser and photometrics Last propagation		11:13				See propagation son for details of Secures 1
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL			See propagation sog for details of Seguences 1
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	wfs-		See propagation seg for details of Seguences Set to best photometry (mass
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	WFS-		See propagation see for details of sequences! set to best photometry mage
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	WFS -		See propagation son for details of sagrences I set to best photomatry mage tron between propagations there we conduit
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	WFS -		See propagation say for details of sagrences I set to best photometry maga non between propagations t were recorded.
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	WFS -		See propagation song for details of Sagueras I set to best photomathy mage two between propagations
Record quad video of laser and photometrics Last propagation	0:00	11:13	WJL	WFS -		See propagation son for details of sagrences I set to best photomating mage trocketmen propagations t were recorded
Record quad video of laser and photometrics Last propagation	0:00 Tele.	11:13	WJL	WFS -		See propagation say for details of sagrences I set to best photometry maga non between propagations t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT AGUE to adjust (2) Used a heat game to AT ay lower "10" but	0:00	11:13 14:13	WJL	WFS -		See propagation song for details of Saguenes set to best photomatricy (mage nor between purpagations t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asjust (2) Used a best quant to a form the second of th	0:00 Tele:	11:13 14:13	WIL US USING GUIDES S MULLING TA		Focus dem poin	See Propagation son for details of sagrences I set to best photonating image that between propagations t were recorded
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to as institution to the properties of the properties o	0:00 T_Le_0 Under S	11:13 14:13	WIL AS USING AUGUSTS S MARINE TE	bus	Focus dem pair	set to best photomating image no between purpayetions t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ABLE to adjust (2) Used a best sum to get and lower to get and the second sec	7.44	11:13 14:13 14:13 14:13 14:13 14:18 14:23	WIL US USING ULLIONS S WILLION TO BFB MS	BNB TMS	Focus de pois 14:20	set to best photomating mage non between purpagetions t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to a just (2) Used a best gum to g AT as lowes "ye'c ust POSTMISSION MAINTENANCE Calibrate pulse width and energy monitor Measure laser borssight and locus Measure laser borssight and locus Measure alignment of photometrics and sime	T+le, 10:00 T+le, 10:05 0:10 0:20	11:13 14:13 14:13 14:13 14:18 14:23 14:33	WIL US USING AUGUS S WILLIAM BFB JMS JMS	bus Jas Jas	Focus Au yoir Au yoir 14:20 14:20 14:30	set to best photomating image no between purpayetions t were recorded.
Record quad video of laser and photometrics Last propagation POTES: (1) NOT ASLE to as just (2) Used a heat game to see to a long a	T++ 0:05 0:10 T++ 0:05 0:10 0:20 0:05	11:13 14:13 14:13 14:13 14:13 14:23 14:33 14:18	SEE JAS JAS MOO	БКВ <i>J</i> М5 <i>J</i> М5 <i>М</i> 20	Focus dem pair 14:20 14:30 15:00	set to best photomating mage non between purpagetions t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ABLE to adjust (2) Used a Leaf game to AT as lewes with an angle cut DOSTMISSION MAINTENANCE Calibrate pulse width and energy monitor Measure laser boresight and locus Measure alignment of photometrics and sims Consolidate and back-up date files Post experiment de-briefing	T+ 0:05 0:10 0:05 0:10 0:05 0:05	11:13 14:13 14:13 14:13 14:13 14:13 14:23 14:33 14:18 14:43	BPB MS MS MS MDO ROF	Биц <i>J</i> м5 <i>J</i> м5 м00 <i>L</i> QE	14:20 (4:25 14:30 15:00	set to best photomating image non between purpayetions t were recorded. There recorded. There is a second and the second and
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asjust (2) Used a best quant to get an investigation of the properties of the propertie	T-Le - Le	11:13 14:13 14:13 14:13 14:18 14:23 14:18 14:18 14:13 14:14 14:13 14:14 15:13	BFB JMS MOO ROF ROF	bhy Jms Jms Mgo Lof Rof	14:20 (4:25 14:30 15:00 15:10	set to best photomating mage non between purpagetions t were recorded.
Record quad video of laser and photometrics Last propagation POTES: (1) NOT ASLE to as just (2) Used a heat game to see to a long a	T+ 0:05 0:10 0:05 0:10 0:05 0:30 1:00	11:13 14:13 14:13 14:13 14:18 14:23 14:18 14:43 15:13	BFB JMS JMS MOO ROF ROF ROF	bkis Tas Tas Mgo Lef Ref Ref	14:20 14:30 15:00 15:10	set to best photomating image non between purpayetions t were recorded. There recorded. There is a second and the second and
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE REF ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non between purpayetions t were recorded. The word recorded and was a warmed max of 1/2 more and 1/2 mor
POST MISSION MAINTENANCE Calibrate pulse width and energy monitor Measure laser boresight and locus Measure alignment of photometrics and sime Post experiment de-briefing dentity problems to be fixed meltitute configuration control Senerate quick look aummary, fax to JPL	T+ 0:05 0:10 0:05 0:10 0:05 0:30 1:00	11:13 14:13 14:13 14:13 14:18 14:23 14:18 14:43 15:13	BFB JMS JMS MOO ROF ROF ROF	bkis Tas Tas Mgo Lef Ref Ref	14:20 14:30 15:00 15:10	set to best photomating mage nor between purpagetions t were recorded.
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE REF ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non between purpayetions t were recorded. The word recorded and was a warmed max of 1/2 more and 1/2 mor
Record quad video of laser and photometrics Last propagation POTES: (1) NOT ASLE to as just (2) Used a heat game to see to a long a	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE REF ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non between purpayetions t were recorded. The word recorded and was a warmed max of 1/2 more and 1/2 mor
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE REF ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non between purpayetions t were recorded. The word recorded and was a warmed max of 1/2 more and 1/2 mor
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating mage non between purpagetions t were recorded. The pure max I've max I've max I've max I've max I've max
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating mage non between purpagetions t were recorded. The pure max I've max I've max I've max I've max I've max
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating mage non between purpagetions t were recorded. The pure max I've max I've max I've max I've max I've max
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating mage non between purpagetions t were recorded. The pure max I've max I've max I've max I've max I've max
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non between purpayetions t were recorded. The word recorded and was a warmed max of 1/2 more and 1/2 mor
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non bedween purpayetions t were recorded. The word recorded and white max a 1/2 mme. If ADD board, Q.switch geitch
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non bedween purpayetions t were recorded. The word recorded and white max a 1/2 mme. If ADD board, Q.switch geitch
Record quad video of laser and photometrics Last propagation NOTES: (1) NOT ASLE to asland to the properties of the propagation of the properties of the p	T+les	11:13 14:13 14:13 14:13 14:18 14:23 14:33 14:18 14:43 15:13 15:13 15:13	BFB JMS JMS MS MS POF ROF ROF	BKB JMS JMS MOO LGE RGE ROF ROF	14:20 14:20 14:30 15:00 15:10 15:10	set to best photomating image non bedween purpayetions t were recorded. The word recorded and white max a 1/2 mme. If ADD board, Q.switch geitch

Fig. A-1. (contd)

Appendix B Day 344, December 9, 1992

This section contains summaries of the Galileo operations activities for day 344, the first test day.

	A	В	С	Б	É	F	G	н	1	J	K	L L
5		_	Ť		_							
6							prop	GLL				
7	89Q						time	shutter	#center	Fradius		Comments
	number	đey	hr	min	98 Ĉ	ä	correct	time	shots	ehote	size	
				L	\Box						└	
10		\Box										
11	001		11			264	0	400	4_	0	0	Partly cloudy
12	002	344		16	37	269	0_	400	0	4	30	No transmission
13	003	344		19		154		200 800	1	7	60	cloudy Very cloudy - super dense, cannot see the guide star
14	004	344				448 242	0	400	4	0	0	Same
15	005	344				237	- 6	400	0	4		same
17	007	344				131	- 6	200	2		0	same
10	008	344					Ö	800	1	7		same
19	009	344				221	o	400	4	0	0	same
20	010	344					ō	400	ò	4		same
21	011	344				110	Ö	200	2	0	0	same
22	012	344			57	405	ō	800	1	7	60	semé
23	013	344			59	200	0	400	4	0	0	cloudy
24	014	344			01	193	0	400	0	4	30	dearing
25	015			56			0	200	2	0	0	clearing
26	016			59			0	800	1	7	60	parity cloudy - but aborted part way through
27	017	344				177	0	400	4	0	0	perity cloudy
28	018.	344	12	05	09	172	0	400	0	4		good
29	019	344			11	067	0	200	2	0		partly cloudy
30	020	344			13	361	0	800	1	7	60	mostly cloudy
31	021	344	12	14	15	056	0	200	2	0	0	mostly cloudy, can see the guide star
32	022	344				050	0	200	2	0	0_	partly cloudy
33	023	344				011	0	133	1_	0	0	parity cloudy
34	024	344				138	0	400	0	4		parity cloudy
35	025	344					0	200	2	0	0	party cloudy
36	026	344				028	0	200	2	0	0	9000
37	027	344				989	0 -	133	1	4	30	good
38	028	344			29	117	0	400		0	30	good
39	029	344				012	0	200	2		1 6	good
40	030	344			33	007	0	133	1	0	0	cloudy - no guide star
41	031	344	12	47		966	0_	400	- ;	4	30	clear
42	032			50			- 6	200	2		0	parity cloudy
44	033			53			0	200	2	0	0	clear
•••	1 034	377	112	1 93	170	007				. 	· ·	11-2-
							· -				T == -	· · · · · · · · · · · · · · · · · · ·
	<u> </u>	В	C	D	E	F	G	H	-!-	1	K	L L
45	035	344				945	0	133	1_1_	0	0	partly doudy
46	036	344				074	0	400	0_	0		perily cloudy - beam was on late no transmission due to technical difficulties
47	037	344				967	0	200	2 2		- <u>-</u>	
48	038	344	113	05	48	962	0	133	1	0	0	partly cloudy
49	039			08			0_	400	0	4	30	partly doudy
50	040	344	1.3	14	53	045	0	200	2	0	0	very cloudy
51	041	344	113	17	64	940	- 6	200	2	- 0-	10	very cloudy
52 53	043			20			0	133	1	0	1 0	very cloudy
54	044			24		029		400	-	4	30	very cloudy
55	045	344	13	27	102	923		200	2	0	0	semi cleer
56	046	344						200	2	0	0	clear - stopped scanning starting with this sequence
57	047	344				879		133	ī	0	0	serri clear
58	048	344				006		400	0	4_	30	dearing
50	049	344				901		200	2	. 0	0	clearing but getting very light - think lesing delayed by 2 seconds not 1 sec asked for
60	050			42		896		200	2	0	0	clearing - propagation two seconds later than time at left
61	051			45		856		133	1	0	0	clearing - propagation 1 sec later than time at left
82	052			48		984		400	0	4	30	clear - all propagations from here on are one second later than published times at left
63	053			51	18	879	0	200	2	0	0	clear
64		344		54	20	873	0	200	2	0	0	clear
85		344					0	133	1	0	0	clear
86		344			24			400	0	4	30	dear
87	067	344	14	03		856		200	2	0	0	clear
6.8	058		14	06	28	851	0	200	2	0	0	clear
69	059					812		133	1-1-	0	0	clear
70	060	344	14	12	32	940	0	400	0	4	30	clear

Fig. B-1. Propagation sequences for GOPEX, day 344, December 9, 1992.




Fig. B-2. Plot of measured energy per pulse for each propagation sequence and for precalibration and postcalibration runs at lower power. The graph contains 30 points for each propagation sequence, corresponding to the 30 pulses propagated during each sequence. The atmospheric transmission sequences start at sequence number 5 and end at number 65. The drop-outs at number 20 and at number 41 were caused by laser Q-switch problems.




Fig. B-3. Plot of measured full-width half-maximum laser pulse widths for each of the atmospheric propagation sequences (numbers 5 through 65) and during pre- and postcalibration of the laser calorimeter (numbers 1–5 and 65–68). Thirty measurements (corresponding to 30 pulses) are plotted for each propagation sequence.

						Ad -Plan		JA.	B/EB/GY	нтам	QY.	3	BARCA	EG EG	GOAL	NO.	OFFSET	13840	AN ABER	AN ABER	PETRACT	MFG	MHDR
Seq	Day	Hrs	Mine	Secs	msecs		Pulse				AZ	a.	AZ	. в.	PA PA	DBC	ΑZ	<u>B.</u>	PA	DEC		X Pos	Y Pos
Num	Num					msecs	Num	days	μŊ		degrees	degrees	μrad	prad	degrees	degrees	μrad	μrad	prad	μred		μrad	
1	344	_11	13	35	251	-20	1	344 467769236111	313	13	228.0409	38.0523	-21	0.2	175.1628	-5.7346	80.0	26.6	0.0	0.0	287.9	0	0
							2	344.467770393518	322	15	228.0419	38.0530	0.9	3.3	175.1628	-5.7345	80.0	26.6	0.0	0.0	287.9	0	Ó
_							3	344 467771550925	310	16	228 D419	38.0530	0.9	3.3	175.1628	-5.7345	80.0	26 6	0.0	0.0	287.9	0	0
-	\vdash							344 467772708333	319	14	228.0428	38.0532	0.6	-0 B	175,1628	5.7345	B0 0	26 6	0.0	0.0	287.9	0	0
							- 5	344.467773865740	319	16	228.0428	38.0532	0.6	-0.B	175.1628	5.7345	80.0	26.6	0.0	0.0	267.9	0	0
		-					6	344.467775023148	307	13	228.0436	38.0540	0.0	4.5	175.1628	5.7345	80.0	26.6	0.0	0.0	287.9	0	
-+				_			- /	344.467776180555	320	16	228.0436	38.0540	0.0	4.5	175.1628	-5.7345	BO 0	26 6	0.0	0.0	287 9	0	0
				_			. 8	344.467777337962	309	16	228.0444	38 0543	.0 2	1.0	175.1628	5.7345	B0 0	26.6	0.0	0.0	287.8	0	0
	-	-	_				9	344.467778495370	307	15	228.0444	38.0543	-0.2	10	175.1628	-5 7345	B0 0	26 6	0.0	0.0	287.8	. 0	0
-	-	-	_				10	344.467779652777	322	16	228 0453	38 0548	1.0	0.1	175.1628	-5.7345	80 0	26.6	0.0	0.0	267.8	_ 0	0
_	-	_		_			_!!	344.467780810185	306	16	228 0453	38 0548	1.0	0.1	175.1628	-5 7345	80 0	26 6	0.0	0 0	287.8	0	0
							12	344.467781967592	309	16	228 0462	38 0552	0.4	-0.9	175.1627	-5.7345	80.0	26 6	0.0	0.0	287 8	0	٥
-			_	-			14	344.467784282407	306	14	228.0462 228.0471	38.0552 38.0558	1.6	-0 9	173.1627	-5 7345	80 0	26.6	0.0	0.0	287.8	0	0
_		-			-		15	344.467785439814	302	15	228.0471	38 0558	1.6	1 2	175.1627	-5 7345 -5 7345	80 0	26.6	0.0	0.0	287 8	0	
+							16	344.467786597222	326	14	228.0479	38 0563	0.7	0.1	175.1627	-5.7345	80 0	26.6	0.0	0.0	287 8	0	0
		-					17	344.467787754629	312	15	228 0479	38.0563	0.7	-0.1	175.1627	-5.7345	80.0	26.6	0.0	0.0	287 8	0	_ 0
							18	344.467788912037	308	16	228.0486	38.0566	-0.P	-2 1	175.1627	5 7345	80.0	26.6 26.6	0.0	0.0	287.8	- 4	
				-			19	344.467790069444	308	15	228.0486	38.0566	0.9	2.1	175.1627	-5 7345	80.0	26.6	0.0	0.0	287.8	- 0	- 6
	\rightarrow						20	344.467791226851	320	16	228.0495	38.0572	-0.8	0.7	175.1627	-5.7345	80.0	26.6	0.0	0.0			
	-	\dashv					21	344.467792384259	310	15	228.0495	38.0572	-0.B	-0.7	175.1627	-5.7345	80.0	26.6	0.0	0.0	287 8		
+		-		\neg			22	344 467793541666	310	15	228.0504	38.0576	0.7	3.1	175.1627	-5.7345	80.0						<u>`</u>
	-						23	344.467794699074	312	16	228.0504	38.0576	0.7	3.1	175.1627	5.7345		26.6	0.0	0.0	287.8	0	0
	-	_		-			24	344 467795856481	312	15	228.0513	38.0583	0.9	1.5	175 1627	-5.7345	80.0	26.6 26.6	0.0	0.0	287.8	_0	- 0
	+			\dashv		-	25	344.467797013888	317	16	228.0513	38.0583	0.9	1.5	175,1627	-5.7345	80.0		0.0	0.0	287 8	0	0
_	-	-+	-	\rightarrow	-+		26	344 467798171296	308	15	228.0521	38.0587	0.3	-0.2	175.1627	-5.7345	80.0	26 6 26 6	0.0	0.0	287.8	0	Ó
-+		_	-			 -	27	344 467799328703	302	14	228 0521	38 0587	0.3	-0.2	175 1627	5.7345	80.0	26.6		0.0	287.8	- 6	0
\rightarrow	+						28	344 467800486111	319	15	228.0529	38.0592	1.3	-0.1	175.1627	-5.7345	80 0	26.6	0.0	0.0	287.8	- 6	
\rightarrow		-					29	344 467801643518	291	16	228 0529	38.0592	-13	-0.1	175.1627	5 7345	80 0	26 6	0.0	0.0	287.8	- 0	0
							30	344 467802800925	318	13	228 0538	38 0597	0.5	0.4	175.1627	-5.7345	80.0	26.6	0.0	0.0	287.8	0	- 0
2	344	71	16	37	257	-10	-31	344.469875671296	333	13	228 8232	38 5027	-0 6	0.3	175.1554	-5.7326	80.0	26.6	0.0	0.0	283.2	- 8	0
-	377		- 10	- ,	-2.		- 2	344.469876828703	313	16	228.8241	38 5032	-0.8	1.2	175.1554	5.7325	80.0	26 6	0 0	0.0	283 2	0	- 0
	\rightarrow	t					3	344.469877986111	318	15	228 8241	38.5032	0.8	1.2	175.1554	5.7325	80.0	26 6	0 0	0.0	283.2	0	0
	-	-+						344.469879143518	308	14	228 8250	38.5035	0.6	3.5	175 1554	5.7325	80.0	26 6	0 0	0.0	283.2	8	0
-		+	-			_		344 469880300925	311	16	228.8250	38.5035	0 6	3.5	175.1554	5 7325	80 0	26.6	0.0	0.0	283.2	0	<u>Ÿ</u>
-					+		6	344.469881458333	317	16	228 8257	38.5041	-2.5	1.6	175.1554	-5.7325	80 0	26.6	0.0	0.0	283.2	- 0	- 0
	-+	- 1			-			344 469882615740	322	15	228 8257	38.5041	2.5	1 6	175.1554	5.7325	BO.0	26.6	0.0	0.0	283.2	0	<u> </u>
-	+	+					<u>á</u>	344 469883773148	309	16	228.8267	38 5047	0.3	0.3	175.1554	5 7325	BO.0	26.6	0.0	0.0	283.2	0	<u>_</u>
+							- 6	344 469884930555	315	15	228.8267	38 5047	0.3	0.3	175.1554	-5 7325	BO.0	26.6	0.0	- 6 6	283 2		<u>0</u>
		-	-				10	344 469886087962	319	16	228 8275	38.5052	1.4	17	175.1554	5.7325	80.0	26.6	0.0	0.0	283 2	0	_;
-			-				10	344 469887245370	293	15	228 8275	38 5052		1 7	175 1554	5 7325	80 0	26.6	0.0	0.0	263 2	- 6	8

Fig. B-4. First-night results for GOPEX, day 344, December 9, 1992.

Appendix C

Sample of environmental data collected during transmissions.




Fig. C-1. Computed relative humidity, day 344, December 9, 1992.




Fig. C-3. Ambient air temperature, Tower Number 1, day 344, December 9, 1992.




Fig. C-2. Optical path air temperature at the (source simulator) (see Fig. 2), day 344. December 9. 1992.




Fig. C-4. Secondary mirror temperature, day 344, December 9, 1992.




Fig. C-5. Ambient air dew point, Tower Number 2, day 344, December 9, 1992.




Fig. C-6. Tower Number 1 wind speed, top, day 344, December 9, 1992.

Fig. C-7. Optical path air temperature at M8 (see Fig. 2), day 344, December 9, 1992.